

| L Number | Hits | Search Text                                                                                                                      | DB                        | Time stamp       |
|----------|------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| -        | 0    | (inhibit near2 clock) near4 (program adj counter)                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/08 14:32 |
| -        | 1    | (inhibit near5 clock) near4 (program adj counter)                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 09:53 |
| -        | 3    | (inhibit near5 clock) with (program adj counter)                                                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 09:59 |
| -        | 0    | (force adj3 frequency near2 clock) with (program adj counter)                                                                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 10:04 |
| -        | 0    | (force adj3 speed near2 clock) with (program adj counter)                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 10:04 |
| -        | 11   | (reduce\$1 near5 frequency) with (program adj counter)                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 10:24 |
| -        | 46   | (reduce\$1 near5 frequency) same (execut\$3 near4 instruction)                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 11:12 |
| -        | 12   | (inhibit near2 clock) with (instruction near5 decod\$3)                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 11:12 |
| -        | 16   | (inhibit near5 clock) with (instruction near5 decod\$3)                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:48 |
| -        | 11   | (reduc\$4 near5 (clock or frequency)) with (instruction near5 decod\$3)                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:34 |
| -        | 165  | (instruction with (clock or frequency)) same (reduc\$4 near5 frequency)                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:35 |
| -        | 140  | (instruction with (clock or frequency)) same (reduce\$1 near5 frequency)                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:37 |
| -        | 185  | instruction near5 (reduc\$4 near3 (clock or frequency))                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:39 |
| -        | 5    | (instruction near5 (reduc\$4 near3 (clock or frequency)) ) same decode                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:47 |
| -        | 11   | (reduc\$4 near5 (clock or frequency)) with (instruction near5 decod\$3)                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:53 |
| -        | 93   | (reduc\$4 near5 (clock or frequency)) same (instruction near5 decod\$3)                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 13:57 |
| -        | 6    | only near5 instruction near5 (inhibit or drop or throttle)                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:05 |
| -        | 17   | only near5 (instruction near10 (inhibit or drop or throttle))                                                                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:14 |
| -        | 11   | (only near5 (instruction near10 (inhibit or drop or throttle))) not (only near5 instruction near5 (inhibit or drop or throttle)) | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:06 |
| -        | 0    | (instruction adj7 trigger\$1) same (reduce near5 clock)                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:16 |
| -        | 0    | (instruction adj7 assert\$1) same (reduce near5 clock)                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:16 |
| -        | 0    | (instruction adj7 assert\$1) same (reduc\$4 near5 clock)                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:16 |
| -        | 107  | instruction with (reduc\$4 near6 (clock adj cycle\$1))                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:59 |

|   |     |                                                                                                                                                                                                                                                                                                                                                   |                           |                  |
|---|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 102 | (instruction with (reduc\$4 near6 (clock adj cycle\$1))) not (((reduc\$4 near5 (clock or frequency)) with (instruction near5 decod\$3)) or (only near5 (instruction near10 (inhibit or drop or throttle))) or ((only near5 (instruction near10 (inhibit or drop or throttle))) not (only near5 instruction near5 (inhibit or drop or throttle)))) | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 14:18 |
| - | 10  | decoder with (reduc\$4 near6 (clock adj cycle\$1))                                                                                                                                                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 15:00 |
| - | 316 | instruction near8 (select\$3 near5 clock)                                                                                                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 15:57 |
| - | 1   | instruction near8 (select\$3 near5 (source adj clock))                                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 15:59 |
| - | 8   | instruction near8 (select\$3 near5 ((system or source) adj clock))                                                                                                                                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/02 15:59 |
| - | 2   | ("4893271").PN.                                                                                                                                                                                                                                                                                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:24 |
| - | 273 | instruction near6 (select\$3 near5 clock)                                                                                                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:28 |
| - | 3   | (instruction near6 (select\$3 near5 clock)) and (clock adj multipl\$3)                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:25 |
| - | 362 | instruction near7 (select\$3 near6 clock)                                                                                                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:32 |
| - | 1   | (instruction near7 (select\$3 near6 clock)) and (frequency adj divide)                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:28 |
| - | 3   | (instruction near7 (select\$3 near6 clock)) and (clock adj multipl\$3)                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:30 |
| - | 3   | (instruction near7 (select\$3 near6 clock)) and (clock adj1 multipl\$3)                                                                                                                                                                                                                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 13:31 |
| - | 3   | instruction near7 (select\$3 near6 (clock adj source))                                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:35 |
| - | 7   | instruction near7 (select\$3 near6 (system adj1 clock))                                                                                                                                                                                                                                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:07 |
| - | 1   | instruction near7 (select\$3 near6 (source adj clock))                                                                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:38 |
| - | 0   | instruction near7 (select\$3 near6 (source adj frequency))                                                                                                                                                                                                                                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:38 |
| - | 0   | instruction near7 (select\$3 near6 (system adj frequency))                                                                                                                                                                                                                                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:37 |
| - | 0   | instruction near10 (select\$3 near6 (system adj frequency))                                                                                                                                                                                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:37 |
| - | 0   | instruction near10 (select\$3 near6 (source adj frequency))                                                                                                                                                                                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 14:38 |
| - | 2   | instruction near10 (select\$3 near6 (source adj clock))                                                                                                                                                                                                                                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 16:42 |
| - | 2   | ("6405321").PN.                                                                                                                                                                                                                                                                                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:02 |
| - | 2   | (test adj clock) near5 derive\$1 near3 ((system or main) adj clock)                                                                                                                                                                                                                                                                               | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:15 |

|   |      |                                                                                            |                           |                  |
|---|------|--------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 3    | ((test adj clock) near5 derive\$1) with<br>((system or main) adj clock)                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:15 |
| - | 0    | ((test adj frequency) near5 derive\$1) with<br>((system or main) adj frequency)            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 5    | ((test adj clock) near5 derive\$1) same<br>((system or main) adj clock)                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 0    | (function adj clock) near5 derive\$1 near3<br>((system or main) adj clock)                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:15 |
| - | 0    | ((function adj clock) near5 derive\$1) with<br>((system or main) adj clock)                | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 0    | ((function adj frequency) near5 derive\$1)<br>with ((system or main) adj frequency)        | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 0    | ((function adj clock) near5 derive\$1) same<br>((system or main) adj clock)                | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 0    | ((function adj clock) near5 derive\$1) same<br>((system or main) adj clock)                | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:16 |
| - | 6    | (test adj clock adj frequency) same<br>(system adj clock adj frequency)                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:19 |
| - | 0    | (function adj clock adj frequency) same<br>(system adj clock adj frequency)                | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:21 |
| - | 0    | (( (function or test) adj clock) near5<br>multiple) same ( (system or main) adj<br>clock ) | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:22 |
| - | 2997 | ( (test or function) adj clock)                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:23 |
| - | 9    | ( (test or function) adj clock) same<br>(clock adj multipl\$3)                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:32 |
| - | 237  | (frequency adj divi\$4) with (instruction)                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:33 |
| - | 112  | (frequency adj divi\$4) near5 (instruction)                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/03 17:34 |
| - | 9    | (frequency adj divi\$4) near5 (instruction<br>near5 select\$3)                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 08:39 |
| - | 479  | (generat\$3 near5 ((function or test) adj<br>clock))                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:12 |
| - | 8    | ((generat\$3 near5 ((function or test) adj<br>clock))) same ((main or source) adj clock)   | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:04 |
| - | 1    | (test adj clock) near5 (function near2<br>main adj clock))                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:12 |
| - | 5    | (generat\$3 near5 ((function or test) adj<br>clock)) same (program adj counter)            | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:35 |
| - | 7    | ((function or test) adj clock) with<br>(program adj counter)                               | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:14 |
| - | 5    | ((function or test) adj clock adj<br>generat\$3) same (program adj counter)                | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:40 |
| - | 423  | clock adj multiplier                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:41 |
| - | 1    | (clock adj multiplier) same (program adj<br>counter)                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:41 |

|   |      |                                                                        |                           |                  |
|---|------|------------------------------------------------------------------------|---------------------------|------------------|
| - | 6033 | frequency adj multiplier                                               | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:41 |
| - | 1    | ((frequency adj multiplier) same (program adj counter))                | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:48 |
| - | 277  | generat\$3 near5 (test adj clock)                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:49 |
| - | 1    | ((generat\$3 near5 (test adj clock)) near5 (program adj counter))      | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 09:48 |
| - | 4    | ((generat\$3 near5 (test adj clock)) same (program adj counter))       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:08 |
| - | 1    | ((function adj clock) near3 receive\$1) with (program adj counter)     | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:09 |
| - | 0    | ((test adj clock) near3 receive\$1) with (program adj counter)         | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:10 |
| - | 0    | ((derive\$1 near2 clock) near3 receive\$1) with (program adj counter)  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:10 |
| - | 15   | ((function or test) adj clock) same (program adj counter)              | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:17 |
| - | 53   | function adj clock adj generator                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:20 |
| - | 47   | (test adj clock) adj generator                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:44 |
| - | 102  | (clock near3 generator) with (program adj counter)                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:47 |
| - | 97   | (clock near2 generator) with (program adj counter)                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:47 |
| - | 84   | (clock adj generator) with (program adj counter)                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 12:15 |
| - | 37   | (clock adj generator) near5 (program adj counter)                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 10:51 |
| - | 2    | ("4958276").PN.                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 12:33 |
| - | 2    | ("4947411").PN.                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:18 |
| - | 35   | (program adj counter) near3 (receive\$1 near3 clock)                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:31 |
| - | 6    | ((program adj counter) near3 (receive\$1 near3 clock) ) same increment | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:22 |
| - | 337  | (program adj counter) near3 (clock)                                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:31 |
| - | 21   | ((program adj counter) near3 (clock) ) same increment                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:44 |
| - | 124  | sequencer same (decoder and (program adj counter))                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:45 |
| - | 55   | sequencer same (decoder and (program adj counter) and clock)           | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 13:57 |
| - | 0    | (instruction\$ near5 perform\$3) with (I/O adj transfer\$1)            | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 14:03 |

|   |      |                                                                                                                                                                                                                  |                           |                  |
|---|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 75   | (I/O adj (operation\$1 or transfer\$1))                                                                                                                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 14:05 |
| - | 5    | ((I/O adj (operation\$1 or transfer\$1)))<br>same (clock)                                                                                                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 14:10 |
| - | 4    | instruction\$1 near4 (perform\$3 near3 I/O)                                                                                                                                                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 14:12 |
| - | 9    | (frequency adj multipl\$3) same ( (test or<br>function) adj clock)                                                                                                                                               | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 15:57 |
| - | 5251 | ((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 15:59 |
| - | 102  | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) with (decod\$3)                                                                                                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:45 |
| - | 67   | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) near8 (decod\$3)                                                                                                                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 10:03 |
| - | 2    | ("5513340").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:15 |
| - | 2    | ("5560017").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:17 |
| - | 2    | ("5649174").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:19 |
| - | 2    | ("5774703").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:21 |
| - | 0    | ("003not2").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:21 |
| - | 0    | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) near8 (decod\$3))<br>not (((clock adj2 frequenc\$2) near5<br>(switch\$3 or chang\$3 or select\$3))) with<br>(decod\$3))              | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:22 |
| - | 35   | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) with (decod\$3))<br>not (((clock adj2 frequenc\$2) near5<br>(switch\$3 or chang\$3 or select\$3))) near8<br>(decod\$3))              | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:22 |
| - | 107  | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) with (command or<br>instruction)                                                                                                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:45 |
| - | 99   | ((((clock adj2 frequenc\$2) near5 (switch\$3<br>or chang\$3 or select\$3))) with (command or<br>instruction)) not (((clock adj2<br>frequenc\$2) near5 (switch\$3 or chang\$3 or<br>select\$3))) with (decod\$3)) | USPAT;<br>EPO;<br>DERWENT | 2003/12/04 17:45 |
| - | 2    | ("5649174").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 09:14 |
| - | 4    | ("3656123"   "4128880"   "4365311"  <br>"5269007").PN.                                                                                                                                                           | USPAT                     | 2003/12/05 09:14 |
| - | 3    | 5649174.URPN.                                                                                                                                                                                                    | USPAT                     | 2003/12/05 10:02 |
| - | 677  | instruction near8 ( (select\$3 or switch\$3<br>or adjust\$3 or chang\$3) near6 clock)                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 10:05 |
| - | 82   | (instruction near8 ( (select\$3 or switch\$3<br>or adjust\$3 or chang\$3) near6 clock)) with<br>decod\$3                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 12:23 |
| - | 82   | (instruction near8 ( (select\$3 or switch\$3<br>or adjust\$3 or chang\$3) near6 clock)) with<br>decod\$3                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 13:29 |
| - | 3    | ("3623017").PN.                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 13:58 |

|   |       |                                                                                                                                       |                           |                  |
|---|-------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 2     | ("5802360").PN.                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 14:26 |
| - | 2     | ("5812834").PN.                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 14:35 |
| - | 2     | ("5752061").PN.                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:06 |
| - | 11485 | (perform or execute) with clock                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:13 |
| - | 7953  | (perform or execute) near8 clock                                                                                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:08 |
| - | 2583  | ((perform or execute) near8 clock) with<br>(instruction or command or operation)                                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:08 |
| - | 1986  | ((perform or execute) near8 clock) near3<br>(instruction or command or operation)                                                     | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:08 |
| - | 248   | (perform or execute) near8 (clock adj<br>frequency)                                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:09 |
| - | 8     | ((perform or execute) near8 (clock adj<br>frequency)) same I/O                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:09 |
| - | 504   | (perform or execute) with ((source of<br>system or main) adj clock)                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:17 |
| - | 14    | ((perform or execute) with ((source of<br>system or main) adj clock)) same I/O                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:14 |
| - | 2988  | (perform or execute) near5 (I/O)                                                                                                      | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:18 |
| - | 6     | ((perform or execute) near5 (I/O)) with<br>((source or main or system or basic) adj<br>clock)                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:20 |
| - | 2118  | ((instruction\$1 or program\$1 or command\$1)<br>near6 (perform or execute)) with (clock)                                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:21 |
| - | 89    | ((instruction\$1 or program\$1 or command\$1)<br>near6 (perform or execute)) with ((source<br>or system or main or basic) adj clock)  | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:21 |
| - | 65    | ((instruction\$1 or program\$1 or command\$1)<br>near6 (perform or execute)) near8 ((source<br>or system or main or basic) adj clock) | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:21 |
| - | 49    | ((instruction\$1 or program\$1 or command\$1)<br>near6 (perform or execute)) near6 ((source<br>or system or main or basic) adj clock) | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 15:45 |
| - | 45    | (clock adj2 generator) near5 (program adj<br>counter)                                                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:08 |
| - | 20    | (I/O near2 (transfer or operation or<br>instruction)) near5 ( (source or main or<br>system or basic) adj clock)                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:21 |
| - | 17    | (I/O adj2 (transfer or operation or<br>instruction)) near5 ( (source or main or<br>system or basic) adj clock)                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:22 |
| - | 17    | (I/O adj2 (transfer or operation or<br>instruction)) near8 ( (source or main or<br>system or basic) adj clock)                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:25 |
| - | 18    | (I/O adj2 (transfer or operation or<br>instruction)) near10 ( (source or main or<br>system or basic) adj clock)                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:25 |
| - | 18    | (I/O adj2 (transfer or operation or<br>instruction)) near10 ( (source or main or<br>system or basic) adj (clock or frequency))        | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:26 |
| - | 33    | (I/O near2 (transfer or operation or<br>instruction)) near10 ( (source or main or<br>system or basic) adj (clock or frequency))       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:44 |

|   |      |                                                                                                                                                                                                                                                                                                                                                                                                            |                           |                  |
|---|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 13   | ((I/O near2 (transfer or operation or instruction)) near10 ( (source or main or system or basic) adj (clock or frequency))) not ((I/O near2 (transfer or operation or instruction)) near5 ( (source or main or system or basic) adj clock))                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:26 |
| - | 37   | (I/O near2 (transfer or operation or instruction)) with ( (source or main or system or basic) adj (clock or frequency))                                                                                                                                                                                                                                                                                    | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:48 |
| - | 25   | ((I/O near2 (transfer or operation or instruction)) with ( (source or main or system or basic) adj (clock or frequency))) with (perform\$3 or execut\$3)                                                                                                                                                                                                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:44 |
| - | 17   | ((I/O near2 (transfer or operation or instruction)) with ( (source or main or system or basic) adj (clock or frequency))) with (perform\$3 or execut\$3) not (((I/O near2 (transfer or operation or instruction)) near10 ( (source or main or system or basic) adj (clock or frequency))) not ((I/O near2 (transfer or operation or instruction)) near5 ( (source or main or system or basic) adj clock))) | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:45 |
| - | 27   | (I/O near2 (perform\$3 or execut\$3)) with ( (source or main or system or basic) adj (clock or frequency))                                                                                                                                                                                                                                                                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:52 |
| - | 5    | (I/O adj interface) near5 ( (system or main or basic or source) adj (clock or frequency))                                                                                                                                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 16:59 |
| - | 6    | (I/O) near5 ((source or main or basic or system) adj (clock adj frequency))                                                                                                                                                                                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:14 |
| - | 12   | (serial adj interface) near10 ( (source or system or main or basic) adj (clock or frequency))                                                                                                                                                                                                                                                                                                              | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:15 |
| - | 0    | (I/O near5 (serial adj interface)) near10 ( (source or system or main or basic) adj (clock or frequency))                                                                                                                                                                                                                                                                                                  | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:16 |
| - | 4    | (I/O near5 (serial adj interface))                                                                                                                                                                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:20 |
| - | 0    | (I/O near5 (serial)) with ( (source or system or main or basic) adj (clock adj frequency))                                                                                                                                                                                                                                                                                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:21 |
| - | 0    | (I/O near8 (serial)) same ( (source or system or main or basic) adj (clock adj frequency))                                                                                                                                                                                                                                                                                                                 | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:21 |
| - | 0    | (I/O near10 (serial)) same ( (source or system or main or basic) adj (clock adj frequency))                                                                                                                                                                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:21 |
| - | 6575 | I/O near10 serial                                                                                                                                                                                                                                                                                                                                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:24 |
| - | 643  | (I/O near10 serial) with clock                                                                                                                                                                                                                                                                                                                                                                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:24 |
| - | 4    | (I/O near10 serial) with (clock adj frequency)                                                                                                                                                                                                                                                                                                                                                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:30 |
| - | 1    | (I/O near10 serial) with ( (source or system or main) adj frequency)                                                                                                                                                                                                                                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:32 |
| - | 352  | (instruct\$4 or perform\$ or execut\$3) near10 (serial near5 I/O)                                                                                                                                                                                                                                                                                                                                          | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:34 |
| - | 1    | ((instruct\$4 or perform\$ or execut\$3) near10 (serial near5 I/O)) with (frequency)                                                                                                                                                                                                                                                                                                                       | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:35 |
| - | 49   | ((instruct\$4 or perform\$ or execut\$3) near10 (serial near5 I/O)) with (clock)                                                                                                                                                                                                                                                                                                                           | USPAT;<br>EPO;<br>DERWENT | 2003/12/05 17:35 |

|   |     |                                                                                                                                                                                                                                                            |                           |                  |
|---|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------|
| - | 345 | (serial near5 I/O) near8 clock                                                                                                                                                                                                                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 12:42 |
| - | 4   | (serial near5 I/O) near8 (clock adj frequency)                                                                                                                                                                                                             | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 12:46 |
| - | 4   | (serial near5 I/O) with (clock adj frequency)                                                                                                                                                                                                              | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 12:46 |
| - | 28  | (serial near5 I/O) same (clock adj frequency)                                                                                                                                                                                                              | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 13:08 |
| - | 79  | (serial near5 I/O) same ( (system or source or external or basic) adj (clock or frequency))                                                                                                                                                                | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 13:09 |
| - | 72  | ((serial near5 I/O) same ( (system or source or external or basic) adj (clock or frequency))) not (((serial near5 I/O) near8 (clock adj frequency)) or ((serial near5 I/O) with (clock adj frequency)) or ((serial near5 I/O) same (clock adj frequency))) | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 14:09 |
| - | 2   | ("6522982").PN.                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 18:01 |
| - | 2   | ("6327661").PN.                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 13:53 |
| - | 2   | ("6249481").PN.                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 13:55 |
| - | 48  | (clock near2 generator) near6 (program adj counter)                                                                                                                                                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 14:55 |
| - | 2   | ((test or function or deriv\$2) adj clock) near2 generat\$3) near6 (program adj counter)                                                                                                                                                                   | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 14:56 |
| - | 3   | ("3623017").PN.                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 18:20 |
| - | 339 | repeat adj counter                                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 18:21 |
| - | 21  | (repeat adj counter) near6 decod\$3                                                                                                                                                                                                                        | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 18:22 |
| - | 35  | (repeat adj counter) with decod\$3                                                                                                                                                                                                                         | USPAT;<br>EPO;<br>DERWENT | 2003/12/06 18:22 |
| - | 3   | ("6504854").PN.                                                                                                                                                                                                                                            | USPAT;<br>EPO;<br>DERWENT | 2003/12/08 14:33 |